

**2008 TABLE OF CHANGES**  
**(Changes to Manual from 2003 to 2008)**

ITEMS	SECTIONS	PAGES
Table of contents re-paginated (revised)	TOC	TOC
Figures 1, 2 and 16 (added), status of figure 6 and 7 (revised)	Chart and Figure Contents	ii
Bus inspection committee members' names (deleted)	Preface	iii
State Board rule language (revised) to include latest version of 6A-3.0171, FAC, excerpt	FL Statute and State Board Rule	iv
Contact information (revised)	Specifications Notes	v
Inspection Form instructions (revised)	Instructions	vi
Inspection Form item D.10. (revised)	Inspection Form/Sample Form	ix - xii
100-question online test and procedures (added); open book testing (added)	School Bus Inspection Certification Program	xv
Inspection classification requirements table and notes (revised)	School Bus Inspection Certification Program	xix
30-question online test and procedures (added)	School Bus Inspection Re-certification Program	xx
Application (revised) to include signature requirements and file retention recommendations	Application for State of Florida School Bus Safety Inspector Certification	xxi - xxii
Application for Re-certification (revised) to include name change to Re-certification Form and to include signature requirements and file retention recommendations	Application for State of Florida School Bus Safety Inspector Re-certification	xxiii - xxiv
Out-of-service (OOS) criterion for fire extinguisher safety pin tamper-proof seal (revised)	A. 1. a. 6)	2
Repair or note criterion for first aid kit tamper-proof seal (revised)	A. 1. b. 1)	2
OOS criterion for first aid kit mounting (revised)	A. 1. b. 2)	2
Note concerning annual inspection of first aid and body fluid cleanup kits (added)	A. 1.	3
Inspection procedures for first aid kit (revised)	A. 1. b. 3)	4
Repair or note criterion for body fluid cleanup kit tamper proof seal (revised)	A. 1. c.	
OOS criterion for reflectors storage box (revised)	A. 1. d. 3)	5
Noise Abatement Switch criterion (added)	A. 3. d.	9
Inspection procedures and OOS criterion for temperature gauges (revised)	A. 5. a.	12
OOS criterion for volt or ammeter check (added)	A. 5. a. 5)	12
Repair or note criterion for temperature gauge light bulb (revised)	A. 5. b.	13
Dimmer Control check for dash and panel lights (added)	A. 5. b. 4)	13
High transmission temperature warning light or buzzer inspection procedure and OOS criterion (added)	A. 5. c.	14

<b>ITEMS</b>	<b>SECTIONS</b>	<b>PAGES</b>
ABS Warning Light check (revised) to include system check	A. 5. d.	14
Note concerning use of wheel chocks (added)	A. 6. and A. 7.	15 and 21
Air Brake System Adjustment Check procedures (revised)	A. 6. e.	17 - 18
Windshield Wipers (revised) to include intermittent wipers	A. 8. a. 2)	35
Note concerning dash fan (added) to inspection procedures	A. 9. c. 1)	38
Driver dome lights repair or note and OOS criterion (revised)	A. 10.	
Service door operation repair or note and OOS criterion (revised)	A. 11. a.	40
Service door control repair or note and OOS criterion (revised)	A. 11. b. 1)	41
Air / Vacuum Door OOS language (revised)	A. 11. b. 2)	41
OOS criterion for horns (revised) to include "either horn is inoperative."	A. 12.	42
Electric Mirrors Repair or note criterion (added)	A. 13. a. b.	43 - 44
OOS criterion for mirrors (revised)	A. 13. a. b.	43 - 44
Convex Mirrors "No Blind Spot" and system's vision requirements language in OOS column (revised)	A. 13. b.	44 - 45
Driver's Seat and Belt (revised) to include color requirement and Repair or note criterion for incorrect color	A. 14.	46
OOS criterion for seat mounting fasteners (revised)	A. 15. b.	48
Inspection procedures and OOS criteria (revised)	A. 15. c.	49
Repair or note criteria for seat covering material color (added)	A. 15. d.	50
Passenger Securement Devices (revised) to include Repair or note criterion for belt color coding	A. 15. h.	53
Webbing Cutter check and OOS criterion (revised)	A. 15. i.	53
OOS criterion for emergency door handle, latch, and hardware (added)	A. 16. a.	54
Repair or note criterion for roof hatch power ventilator (added)	A. 16. a.	54
Repair or note criterion for door hold open device labeling (added)	A. 16. c. 1)	55
Repair or note criterion for emergency hatch labeling (added)	A. 16. c. 1)	56
Post Trip Passenger Check criterion (added)	A. 16. d.	56
Inspection procedures (revised)	A. 18. 1)	61
OOS (revised) to include safety chain or belt	A. 18. 1)	61
Wheel Chair Track Repair or note and OOS criterion (revised)	A. 18. 2)	62
Inspection procedure and OOS criteria for webbing cutter (revised)	A. 18. 3)	62
OOS criterion for flat floor step warning decals (revised)	A. 21. a.	65
Grab Rail(s) Repair or note criterion (added)	A. 21. c.	66
Daytime Running Lamps criterion (added)	B. 1. a.	68
LED type lights criterion (added)	B. 1. b.	68
Backup Alarm criterion (revised) to include Variable Alarm	B. 1. i.	72
Pupil warning light hood criterion (deleted)	B. 3.	77
Stop Arm opening language (revised) to include +/- 5 degrees to the 90 degree opening requirement	B. 4. a.	79

<b>ITEMS</b>	<b>SECTIONS</b>	<b>PAGES</b>
Student Crossing Arm opening language (revised) to include +/- 5 degrees to the 90 degree opening requirement	B. 4. b.	80
OOS criterion for crossing arm air leak (added)	B. 4. b.	80
Note concerning crossing and stop arm Federal Motor Vehicle Safety Standards (FMVSS) requirements (added)	B. 4. b.	80
Steering wheel covering repair or note and OOS (revised)	C. 1. a	87
Transmission fluid criterion (revised) to include wrong dipstick and coolant contamination	C. 3. d.	103
Transmission fluid OOS criterion (revised) to include broken dipstick	C. 3. d.	103
Note concerning manufacturers recommendations for coolant (added)	C. 3. f.	104
Belts and Hoses (revised) to include language that addresses the presence of accessory drive belts	C. 4. a. 2)	106
Repair or note criterion (revised)	C. 4. b. 1)	109
Engine Air Cleaner Inspection Note (added), Repair or note and OOS criteria (revised)	C. 5. a.	110
Water Pump and Fan Fasteners OOS criteria (added)	C. 5. d. e.	111
Wiring Routing and Condition OOS criterion (revised)	C. 6.	112
Radiator OOS criterion (added)	C. 8. a.	115
Verticle play OOS criterion (revised)	D. 1. c. 2)	117
Wheel seal seeping repair or note criterion (added)	D. 1. l.	121
Front Brake Chambers criterion (revised)	D. 2. c.	124
Brake lines OOS criterion (revised) to include seeping	D. 2. b.	123
Repair or note criterion (revised)	D. 2. f.	125
Wheel cylinder and caliper OOS criterion (revised) to include seeping	D. 2. i.	128
Front Brake Adjustment procedures (revised)	D. 2. j.	128 - 129
Figure 15, 90 degree push rod / slack adjuster angle during full brake application language (revised)	D.	130
Repair or note and OOS criterion (revised)	D. 4. c.	133 - 134
Note defining leaks and seepage (added) and referenced throughout the manual	D. 5.	136
Leakage OOS criterion (revised)	D. 6. a.	138
Antilock brake systems criterion (added)	D. 7. e.	141
Driveshaft phasing repair or note criterion (revised)	D. 8. a.	142
Axle housing seepage repair or note criterion (added)	D. 9. a.	145
Differential seepage repair or note criterion (added)	D. 9. c.	145
Note concerning wheel bearing play (added)	D. 9. k.	149
Rear Brake Chambers criterion (revised)	D. 10. c.	151
Rear Brake Adjustment procedures (revised)	D. 10. j.	156 - 157
Tailpipe inspection procedure and OOS criterion (revised), Figure 16 (added)	D. 12. d.	160 - 161
Tire Tread Depth measurement language (clarified)	D. 13. a.	162
Tire Pressure language (clarified)	D. 13. b.	163

ITEMS	SECTIONS	PAGES
Stopping Distance and Equalization (revised) to include a number value for decelerometer reading in repair or note and OOS, to include criteria for flat spotting of tires, and to revise the note	F. 1. b.	168 - 169
Engine Performance and Governor criterion (revised) to include color and quantity of exhaust smoke	F. 2. a.	170
OOS criterion (revised)	F. 3. a.	172
Turning Radius check (added)	F. 3. c.	172